7 Year Parent Booklet Coding

Entries in red denote variable names and values used in the analysis dataset.

Entries in blue denote variable names and values in the raw data.

This document was created on 19 October 2007 and updated in March 2014, August 2018 and August 2022 to reflect changes in the dataset.

Notes:

- 1. The layout and formatting of the booklet have been somewhat modified to accommodate annotations of variable names and value codes. Page numbering has been removed because of the extra space taken up by annotation. However, the formatting remains approximately as it was in the original booklet. The text of the questions and response options are unchanged.
- 2. Some items, notably verbatim text data, and sibling data, are not included in the dataset, so are not annotated with variable names in this document. In many cases, however, the verbatim text items are recorded in the raw data.
- 3. This document shows item variables, not derived variables; however, in some cases the dataset item variables have been recoded or restructured from the raw data. Any such changes are annotated.
- 4. In all cases, the variable names in the analysis dataset (starting with 'g' or 'gp') differ from the variable names used in the raw data (starting with 'QP'), and both are shown.
- 5. The value coding, for categorical items, is in many cases the same in the dataset variables as in the raw data - where this is the case, the coding is shown only once, in red.
- Where the value coding has been changed from raw data to dataset variables, the coding is shown twice, in red for the dataset variables and in blue for the raw data.
- 7. In the raw data, a 'missing' response is coded as -99 and 'not applicable' is coded as -77. However in the analysis dataset these are all recoded to missing values. This coding of missing values is not annotated in this document because it applies to all variables.
- 8. The parent booklet contains many twin-specific items, where the parents are asked questions about the elder and younger twins separately. For such items, there are two variables having the same name except for the suffix "1" or "2". In the raw data, reflecting the structure of the questions as shown, the variable with name ending in "1" is for the elder twin and the variable with name ending in "2" is for the younger twin. The analysis dataset is double-entered with a row of data for every twin, and two variables representing the same item for twin and cotwin; here, the variable with name ending "1" is for the twin, while the variable with name ending "2" is for the cotwin, regardless of which is elder or younger.
- 9. A few of the questions were included in the booklet for admin reasons parent and twin names, details of siblings, teacher and school names. These were used at the time of data collection for updating the TEDS admin system, but they have not been retained in the raw data.
- 10. The booklet contains several other questions that elicited a free text response. Generally, such text responses have been recoded into numeric categories, which is annotated in the usual way. The original verbatim text responses have generally not been retained in the raw data, unless otherwise indicated. Text variables are not included in the dataset.

All your answers are strictly confidential.						
Please indicate your answers with a cross 🗷 using a BLACK pen.						
Please feel free to contact us by phone or email: Freephone TEDS: 0800 317 029 / Email: TEDS@iop.kcl.ac.uk						
Please confirm: Your name (not retained in data) Today's date the ELDER twin's name (not retained in data) the YOUNGER twin's name (not retained in data) (the date is not retained in the dataset but is used to derive the twin age when the parent booklet was completed) ABOUT YOU AND YOUR FAMILY						
What is your relationship to the twins? There were negligible or no responses in most of these categories - all except the first two have been recoded to 0=other in the raw data and the dataset. 1 Birth mother						
If other, please describe: (not retained in data) gpartner QP3 Do you currently live with a partner/spouse? 1 Yes 0 No 2						
If YES, please tell us his/her name: First Name (not retained in data) Last Name (not retained in data)						
And what is his/her relationship to the twins? There were negligible or no responses in most of these categories - all except the first two and 'stepfather' have been recoded to 0=other in the raw data and dataset. 1 Birth mother 1 2 Natural/biological father 2 Grandmother Stepmother 4 Stepfather 4 Grandfather Foster mother Foster father 0 Other 0						
of other, please describe: where given, the text responses were recoded into the other categories above (text not retained in data)						
gparthl QP3d If he/she is NOT a natural parent of the twins for how long has he/she been living in the family? 1 Under 6 months 2 6 months to 1 year 3 1 to 2 years 4 2 to 3 years 5 3 to 4 years 6 Over 4 years See also derived category variable gadults (adult parents in the home): 1=biological						
mother and father, 2=mother or father plus guardian or other, 3=single parent, 4=mother						

with unspecified partner, 9=unknown or other.

PARENT QUESTIONNAIRE

Thank you for taking the time to complete this questionnaire.

(sibling data from the section below wernot been retained either in the raw data Do the twins have any brothers or sisters?			admin system but have
Please give their name(s) and date of birth	n below, startin	g with the younges	st:
Child's name	Date of Bi	rth	
	Day Month	Year Male	Fem <u>ale</u>
Does this child have the same parents as th	e twins?		_
Both parents the same Sam	e mum	Same dad	No parent the same
Next child's name	Date of Bi	rth	
	Day Month	Year Male	Female
Does this child have the same parents as th			
·	e mum	Same dad	No parent the same
Next child's name	Date of Bi	rth	
	Day Month	^{Year} Male	Female
Does this child have the same parents as th	e twins?		
	e mum	Same dad	No parent the same
Next child's name	Date of Bi	rth	
	Day Month	Year Male	Female
Does this child have the same parents as th			
	e mum	Same dad	No parent the same
If you do not have enough space, please give the same info	rmation about the	twins' other brothers a	and sisters here:
Other Adults gotherad: the two raw items below are re 0=no, 1=yes: relative, 2=yes: domestic h QP7a Are there any other adults living in the household, 1 Yes 2 N	nelp, 3=yes,	other or unspe	ecified
If YES, please describe below who this person Person who lives in your household: QP71 1=relative (e.g. twins' grandparent, und	b: original cle/aunt, ad	text recoded in	
2=domestic help (e.g. au pair, nanny, ho			
3=other (e.g. lodger, unspecified person	is)		
gotherhl QP7c How long have they been living there? 1 Under 6 months 2 6 months	•	3 1 to 2 ye	
4 2 to 3 years 5 3 to 4 ye	ars	6 Over 4 y	ears
Please can you tell us your marital status at the pr Please mark one box only 1 married to the natural parent of the twin 2 married to someone else? 3 cohabiting with the parent of twins? 4 cohabiting with someone else?		5 divorced? 6 separated? 7 widowed? 8 unmarried?	
Additional response code 9 was informed	for parents	9 single, uns	
Additional response code 9 was inferred who said there was no partner in the que	stion on the	who did not an e previous page	swer this question but

Now we would like to ask you a little more about the adults living in the household.

Some of you may have given us this information before. If so, we apologise for asking you again. We do this because things may have changed over the years for some people and we would like to be as accurate as possible in our research.

~~~	owas	~ b /	OP8a
u = i	SUWU	TV /	JEOA

At the moment are you:

P	lease mark one item only.
1	a full time parent?  If so, please go to Qualifications on next page
2	working full time?  If so, please go to Work section on next page
3	working part time?  If so, please go to Work section on next page
4	studying for a qualification?  If so, please go to Qualifications on next page
5	unemployed/on a government benefit?
grespun	em QP8f
lf you are	currently unemployed/on a government benefit, please tell us for how long:
	1 Less than 3 months 2 3 to 6 months 3 7 to 11 months
	4 1 to 2 years
Work	<del>_</del>
grespso	C ParentSoc
1 to 9	(SOC levels). Raw responses to the two questions below (job title and industry)
were co	ded into this ordinal employment level category.
See the	appendix for a list of the 9 SOC categories.
If you are	e working full-time or part-time, what is your full job title? (text not retaining after coding)
-	
wiiat bus	siness or industry is your job in? (text not retaining after coding)
The fol: below.	lowing 3 raw variables have been recoded into a single dataset variable as shown
QP11 A	Are you self-employed or do you work for an employer? Self-employed   Work for an employer   2
QP11a	If you are self-employed, do you have any employees? Yes 1 No 2
OP11b	If YES, can you specify how many employees you have?
	temployees or less 1 5 to 9 employees 2 4
1	0 to 19 employees 20 employees, or more 4

## grespselfemstat:

Code values	Meaning	QP11	QP11a	QP11b
0	Not self-employed	2		
1	Self-employed without employees	1	2	
2	Self-employed, <= 4 employees	1	1	1
3	Self-employed, 5-9 employees	1	1	2
4	Self-employed, 10-19 employees	1	1	3
5	Self-employed, >= 20 employees	1	1	4

	ng 2 raw variables, together with QP11 Lable as shown below.	above, ha	ave been r	recoded into	a single
QP12a	adic as shown serow.				
	loyed by a business/company, would you desc	ribe voursel	f as a:		
Manag Traine	ger 1 Supervisor/Foreman	3 4			
QP12b					
If applicable, c	ould you confirm the number of people you ar	e responsibl	e for?		
	ss workers 9 workers 20 workers, or more	4			
grespemploys	stat:				
Code values	Meaning	Q	P11 QP12a	a QP12b	
0	Not working for employer (self-emp	ployed) 1			
1	Employed as trainee or employee	2	2 or	4	1
2	Manager/supervisor of <= 4 workers	s 2	1 or	3 1	
3	Manager/supervisor of 5-9 workers	2	1 or	3 2	]
4	Manager/supervisor of 10-19 worker		1 or	3 3	
5	Manager/supervisor of >=20 workers	2	1 or	3 4	
coded values	this single dataset variable replaces 1 to 7 as shown (1=no qualifications u have any educational qualifications?		raw variab	oles below,	_
If YES, could y	ou confirm your HIGHEST level of qualification	າ?			
		Additional from 'othe		ations code uses	d
2 2	1 to 4 O levels/CSE's/GCSE's/Standards (any grades)	Level 1 (N	IVQ, BTEC,	etc)	
3 3	5+ O levels/5+ CSE's (grade 1), 5+ GCSE's (grades A to C)	Level 2 (N secretaria qualified	al (RSA, C	LAIT, etc),	
4 4	1 A level or AS Level				
5 5	= 0	Level 3 (N NNEB (nurs		etc), HNC,	
6 6	:e. = eg. ee (e.g. = : ., = ee)	Level 4 (N		etc), HND,	
7 7	Higher Degree (e.g. MA, PhD, PGCE, post-graduate certificates/diplomas)	Cert ED, E			
0	Other qualifications (e.g City and Guilds, RSA, BTEC, HNC, HND, Professional qualification)				
If 'Other qualific	cations' please specify: Other qualification	s origin	ally giver	n as tevt w	ere

If 'Other qualifications', please specify: Other qualifications, originally given as text, were recoded into equivalent categories as shown in the table above (text not retained in data). Any remaining codes of QP14a=0 ("other") are for responses that could not be coded.

The following ques Please mark one is	stions are about your PARTNER/SPOUSE'S e tem only	educatio	on and wo	ork. At th	e moment is he/she:	
	time parent?					
	king full time?					
	king part time?					
	lying for a qualification?					
5 Une	mployed/on a government benefit?					
gpartunem QP1	5f					
If he/she is current	ly unemployed/on a government benefit, plea	se spec	ify for ho	w long:		
<b>1</b> Le:	ss than 3 months 2 3 to 6 months		<b>3</b> 7 m	onths to 1	year	
4 1	to 2 years 5 Over 2 years				, <u> </u>	
gpartsoc Partne	erSoc					
	vels). Raw responses to the two questo this ordinal employment level cate		oelow (j	ob titl	e and industry)	
See the appendi	x for a list of the 9 SOC categories	3.				
If your partner/spo	use is working full-time or part-time, could yo	u specif	fy his/her	job title?		
	ot retaining after coding)	•	•			
	industry is their job in? (text not retain	ing of	tor god	ina)		
What business of	middany is then job in: (text not retain	ing ar	cer cou.	Liig /		
The following 3 below.	3 raw variables have been recoded in	to a si	ingle da	ıtaset v	rariable as shown	
QP18 Is he/she s for an emp	self-employed or does he/she work Self-employer?	ployed	1 V	Vork for ar	n employer 2	
QP18a If he/she i	is <u>self-employed,</u> do he/she has any employe	es?	Yes	1 No	2	
QP18b If YES, ho	w many employees are there?					
4 or less employees 1 5 to 9 employees 2						
10 to 19 er			ľ	4		
gpartselfemstat	<b>:</b> :					
Code values	Meaning	QP18	QP18a	QP18b		
0	Not self-employed	2				
1	Self-employed without employees	1	2			
2	Self-employed, <= 4 employees	1	1	1		

Self-employed, 5-9 employees

Self-employed, 10-19 employees

Self-employed, >= 20 employees

QP15a

gpartwork

		_	2 raw variable ble as shown be		er with QP1	8 above,	have 1	been reco	ded into a	single
QP20a	lf y	our p	artner/spouse is <u>e</u>	employed by	a business/c	ompany, w	ould yo	ou describe	him/her as a:	
	Mar	nager	1	Supervisor/F	oreman	3				
	Trai	inee	2	Employee		4				
QP20b	If a	applic	cable, could you c	onfirm the nu	umber of pec	ple he/she	is resp	onsible for	?	
	4 or	less	workers	1	5 to 9 worke	ers		2		
	10 t	o 19	workers	3	20 workers,	or more		4		
gparte	mplo	oysta	at:							
Code	valı	ıes	Meaning				QP18	QP20a	QP20b	
0			Not working	for employe	er (self-er	nployed)	1			
1			Employed as	trainee or	employee		2	2 or 4		
2			Manager/supe	rvisor of	<= 4 worker	rs	2	1 or 3	1	
3			Manager/supe	rvisor of !	5-9 workers	3	2	1 or 3	2	
4			Manager/supe	rvisor of 3	10-19 work	ers	2	1 or 3	3	
5			Manager/supe	rvisor of	>=20 worker	rs	2	1 or 3	4	
coded	valı	ies :	his single data 1 to 7 as show she have any edu	n (1=no qua	lification				below, with	h
QP	22a									
If Y	ES,	coul	d you confirm his/	her HIGHEST	level of qua	lification?	(Mark o	ne box only)	)	
								alificatio responses	ons coded	
	2	2	1 to 4 O levels/Cs (any grades)	SE's/GCSE's/	Standards	Level 1	(NVQ,	BTEC, etc	<b>c)</b>	
	3	3	5+ O levels/5+ CS (grades A to C)	SE's (grade 1),	, 5+ GCSE's	secretar	cial (	BTEC, etc RSA, CLAI! ching ass:	r, etc),	
	4	4	1 A level or AS Le	vel		•				
	5	5	2 or more A levels Higher School Ce	s, 4+ AS levels	s, or any			BTEC, etc nursing)	c), HNC,	
	6	6	First Degree (e.g.			Level 4	(NVQ,	BTEC, etc	c), HND,	
	7	7	Higher Degree (e. graduate certificat Other qualification	es/diplomas) s (e.g City and	Guilds, RSA,	register Cert ED,		rse		
		]	BTEC, HNC, HND,	Professional qu	alification)					

If 'Other qualifications', please specify:

Other qualifications, originally given as text, were recoded into equivalent categories as shown in the table above (text not retained in data). The coding is the same as for the respondent (see above, QP14a).

Now we would like to ask you briefly about your financial situation.

gfinancedif: this single dataset variable replaces the two raw variables below, with coded values 0 to 3 as shown (0=no change, 1=changed better, 2=changed same, 3=changed worse).

QP23 Have there been any major changes or difficulties in your Yes 1 No 2 financial circumstances over the last three years?

QP23a

If YES, would you describe your financial situation as?

1 Better 1 3 Worse 2 2 Same 3

We would now like to focus on the TWINS. Here are some descriptions of children Please tell us if you think that each statement is CERTAINLY TRUE, SOMEWHAT TRUE or NOT TRUE for each twin in turn. When you answer, think about their behaviour over the last school year or so. It would be really helpful if you answered all items as best you can, even if you are not absolutely certain or the item seems daft!

To answer the question for the ELDER twin, please put a cross in the appropriate box on the first line. The boxes for the YOUNGER twin are on the line below it.

The "Behaviour" items are present in three sections within this booklet, starting with the section below, comprising 63 tabulated items in total, plus two from the following "Health" section (question about tics/twitches and question about complaints of headaches/stomach aches/sickness). Collectively, the behaviour items are taken from several different measures which have been intermingled.

For the dataset, the behaviour variables below have now been renamed with prefixes representing the measures as follows:

- SDQ: gpsdq (with an additional prefix emo/hyp/con/per/pro for the subscales)
- PSD: gpaps
- ASD/Aspergers: gpasd
- Anxiety measures: gpanx
- Hyperactivity items: gphyp (other than SDQ)

The variable numbering within each measure is consistent for equivalent items in the teacher questionnaire at age 7, and also for equivalent items in the same measure at other ages (SDQ, PSD, Anxiety; note that the PSD items in fact form a subset of APSD measure items used at later ages, hence the prefix gpaps). The item numbering is therefore not consecutive and may have gaps for items used at other ages but not at age 7.

[Old dataset variable names are shown for reference: these had the prefix "gbh" regardless of measure, and were numbered 1 to 63 consecutively for the 63 tabulated items.]

Raw data	Dataset variables	OLD dataset			Certainly True	Somewhat True	Not True
		variable names	Raw data coding:		1	2	3
			Dataset coding:		2	1	0
QP24a	gpasd11/2	gbh011/2	Notices small details	Elder twin			
QP24b			others might miss	Younger twin			
QP25a	gpaps191/2	gbh021/2	Does not show feelings	Elder twin			
QP25b			or emotions	Younger twin			
QP26a	gpanx081/2	gbh031/2	Is afraid of medical	Elder twin			
QP26b			procedures such as going to see the doctor or dentist	Younger twin			
QP27a	gpsdqhyp11/2	gbh041/2	Restless, overactive,	Elder twin			
QP27b			cannot stay still for long	Younger twin			
QP28a	gpsdqpro11/2	gbh051/2	Considerate of other	Elder twin			
QP28b			people's feelings	Younger twin			
QP29a	gpanx061/2	gbh061/2	Insists on doing	Elder twin			
QP29b			something over and over so that it interferes with day to day life	Younger twin			

Raw data	Dataset variables	OLD dataset			Certainly True	Somewhat True	Not True
		variable names	Raw data coding:		1	2	3
		names	Dataset coding:		2	1	0
QP30a	gpsdqpro41/2 gbh071/2 Kind to younger ch	Kind to younger children	Elder twin				
QP30b				Younger twin			
QP31a	gpsdqcon51/2	gbh081/2	Steals from home,	Elder twin			
QP31b			school or elsewhere	Younger twin			
QP32a	gpanx181/2	gbh091/2	Is afraid of animals or	Elder twin			
QP32b			insects (like dogs, spiders, snakes, or insects)	Younger twin			
QP33a	gpsdqhyp21/2	gbh101/2	Constantly fidgeting or	Elder twin			
QP33b			squirming	Younger twin			
QP34a	gpaps031/2	gbh111/2	Is concerned about how well he/she does at school	Elder twin			
QP34b				Younger twin			
QP35a	gpanx201/2	gbh121/2	Strongly refuses or	Elder twin			
QP35b			resists sleeping alone	Younger twin			
QP36a	gpsdqemo51/2	gbh131/2	Many fears or easily	Elder twin			
QP36b			scared	Younger twin			
QP37a	gpaps121/2	gbh141/2	Feels bad or guilty when	Elder twin			
QP37b			he/she does something wrong	Younger twin			
QP38a	gpanx101/2	gbh151/2	Doesn't enjoy	Elder twin			
QP38b			him/herself	Younger twin			
QP39a	gphyp11/2	gbh161/2	Has difficulty completing	Elder twin			
QP39b			one activity before changing to another	Younger twin			
QP40a	gpsdqcon31/2	gbh171/2	Often fights with other	Elder twin			•
QP40b			children or bullies them	Younger twin			
QP41a	gpsdqhyp41/2	gbh181/2	Thinks things out before	Elder twin			<b></b>
QP41b			acting	Younger twin			

# **HEALTH**

Now, we would like to ask you a little about the general health of the twins.

Do either of the twins have any diagnosed chronic		cal disability?	
QP42a: coded 1=elder, 2=younger, 3=both			
Not retained as a variable in the datase the following, tabulated items for each		o code 'no'	responses to
Elder twin Younger twin		Neither twin	
If either do, could you specify the condition for each	ch twin affected:		
You may mark as many items as you need to.  All tabulated variables below are coded :	1=yes, 0=no, i	n raw data a	and in dataset
variables.			
There were negligible responses for Cyst		d Down's Syr	ndrome so these
variables have been dropped from the data	aset.	Elder Twin	Younger Twin
Cerebral palsy	gillcp1/2	qp43a 1	qp43b 1
Cystic Fibrosis	giiicpi, z	qp43a 2	qp43b 2
Autism	gillaut1/2	qp43a_2 qp43a_3	qp43b_2 qp43b_3
	giiiauci/2		_
Down's syndrome		qp43a_4	qp43b_4
Dyspraxia	gildysp1/2	qp43a_5	qp43b_5
Hyperactivity/ADHD	gillhyp1/2	qp43a_6	qp43b_6
Asthma	gilasth1/2	qp43a_7	qp43b_7
Epilepsy	gilepil1/2	qp43a_8	qp43b_8
Other - various other significant conditions, e.g. metabolic disorders, diabetes, genetic or blood diseases	gilloth1/2	qp43a_0	qp43b_0
Heart or lung conditions, e.g. heart murmur	gillhrt1/2	qp43a_9	qp43b_9
Digestive or urinary conditions, e.g. coeliac, kidney disease	gilldig1/2	qp43a_10	qp43b_10
Muscle, skeleton or soft tissue conditions, e.g. talipes, perthes, scoliosis, cleft palate	gillmusc1/2	qp43a_11	qp43b_11
<pre>If you have ticked the "Other" box, please of   into the codes shown above, inclu-   retained in data)</pre>			
Elder twin			
Younger twin			
Does either of the twins suffer from any kind of ch QP50: coded 1=elder, 2=younger, 3=both,		laint, asthma c	or allergy?
Not retained as a variable in the datase		o code 'no'	responses to the
following, tabulated items for each twin	· ·		
Elder twin Younger twin		either twin	
If YES, please specify for each twin affected: Mark as many as apply. All coded 1=yes 0=no, in raw data and in dataset variables.	ı	Elder Tv	vin Younger Twin
Skin complaint	gscskin1	./2 qp51a	1 qp51b 1
Asthma	gscasth1		<del>-</del>
	_		<del>-</del>
Allergy	gscalle1	./2 qp51a_	3 qp51b_3

QP57:	coded 1=elder, 2=younger, 3=both, 4=n	eithe	r		
_	<pre>lif1/2: this and the following question below.</pre>	n are	combined for	twin-spec	cific coding as
	Elder twin Younger twin		Neither twin		
li	$\stackrel{\square}{YES}$ , please tell us, using the categories below	└── V:			
	Please only mark one. If several apply, please mark		ficulty you consi	der to be mo	st severe
	No hearing difficulty	uno um	Elder Twin		er Twin
			QP57a		57b
1	Permanent hearing loss diagnosed in one ear		1		1
2	Permanent hearing loss diagnosed in both ears		2		2
	Ear infections/glue ear/grommets - or wax/flui	id	3		3
	Profoundly deaf		4		4
	Other - including unspecific responses		0		0
5	Temporary loss now cleared up		5		5
Have y QP63: gspch	ding new code 5=early hearing loss now der twin bunger twin  you, or anyone else ever thought that either of t coded 1=elder, 2=younger, 3=both, 4=dif1/2: this and the following question own below.  Elder twin Younger twin	he twir	is may have an	y difficulties	s with TALKING?
If YES	S, which twin was it and what was/is the difficul	ty?			
Pleas	e only mark one. If several apply please indicate ti	he one	you consider to	be most seve	ere.
0	No talking difficulty		E	Ider Twin	Younger Twin
_				QP64a	QP64b
1	Slow to develop				
2 3	Stammer/stutter			2 3	2
3 4	Cleft lip/palate			4	3 4
10	Problems with pronouncing words  Other - including unspecific responses				
5	Lisp, cannot pronounce certain lette			5	5
6	Had physical ENT problem, e.g. tongu		4	6	6
7	Mumbling, indistinct speech, makes s			H 7	H 7
8	Caused by other problems, e.g. heari			8	8
9	Had own language when younger	g/ <del>u</del> .	, -p-unitu	9	9
16 - 41					

If other, please describe: Original text responses were recoded into the codes shown above, including new codes 5/6/7/8/9 (text not retained in data)

Elder twin

Younger twin

it difficulties in	speech nave b	een reportea, al	tne twin(s	) nave any speecr	tnerapy?	gspt1/2
	der Twin ounger Twin	Yes, a course Yes, a course	2 1 2 1	Yes, just one visit Yes, just one visit	1 2 1 2	No 0 3 No 0 3
If YES, how old	was s/he wher	n the speech the	rapy started	l? gsptage1/2		
Elder Twin QP7	1ad	-				
2 1 2 years	3	2 3 years	4	3 4 years		
5 <b>4</b> 5 years	6	5 6 years	7	6 7 years		
Younger Twin (2 1 2 years		2 3 years	4	3 4 years		
5 4 5 years	6	5 6 years	7	6 7 years		
How long appro	oximately did tl	ne speech therap	y go on?	gspthl1/2		
Elder 1	One single	-	Younger	_	single visit	
Twin 2		ns treatment	Twin		months trea	tment
QP71ae 3	6 to 12 mon	ths treatment	QP71be	3 6 to 1	2 months tre	eatment
4	Over a year	of treatment		4 Over	a year of trea	atment
		make repeated ing words or par			ordinary ta	alking (e.g. grunts,
	g, c. c	у с. ас с. ра		, -		
QP72: coded	1=elder, 2= <u>y</u>	ounger, 3=bot	h, 4=nei	ther		
Elder	twin	Younger tv	vin	Neither twin		
	•			<b>_</b>		
If you have ans	wered YES, ple	ease provide moi	e details, u	sing the boxes be	low. How o	often does it happen?
QP73a	Elder Twin		So	metimes 1	Often	2
	Please descri	be the noise: cod	ed as QP73	Bad (see below)		
QP73b	Younger Twin	l	So	metimes 1	Often	2
	•		ed as QP73	Bbd (free text)		
Deceded into	**** **** ***	:6::-b	1 :- +1-			
	<del>-</del>	ecific variab		e dataset. does either tw	in maka na	nices) and the
frequency que		-	uestion (	does either tw.	In make no	Dises) and the
• 0=no,	has never ma	de involuntar	y noises			
• 1=yes,	sometimes					
• 2=yes,	often					
gnoised1/2:						
QP73AD, QP73	BD					
_				made by each ned in the raw		e coded from
• 1=nose belchi		noises: throa	t-clearin	g, coughing, s	niffing, s	snorting, gulping,
• 2=grun						
	ts: grunting	, growling, a	nimal noi	ses		
_					uding "er	", "um", "mmm", etc

Does either of the twins have any ongoing difficulties with wetting or soiling?  QP74: coded 1=elder, 2=younger, 3=both, 4=neither
gwets1/2: this and the following question are combined for twin-specific coding
as shown below.
Elder twin Younger twin Neither twin
If YES, please specify which twin has difficulties and what is the problem?  O No difficulty  O No difficulty
Elder Twin 1 1 Wets bed at night Younger Twin 1 1 Wets bed at night
QP75a 2 2 Wets self during day QP75b 2 2 Wets self during day
3 3 Soils self 3 Soils self
4 Yes but difficulty not specified 4 Yes but difficulty not specified
Does either twin have repeated tics or twitches (e.g. forceful eye blinking or a rapid head jerk)?
QP78: coded 1=elder, 2=younger, 3=both, 4=neither
Elder twin
If you have answered YES, please provide more details, using the boxes below. How often does it happen?  QP79a Elder Twin Sometimes 1 Often 2
Please describe the tic: coded as QP79ad (see below)
QP79b Younger Twin Sometimes 1 Often 2  Please describe the tic: coded as QP79bd (see below)
ricase describe the tic. coded as QF73Dd (see Delow)
Recoded into two twin-specific variables in the dataset. Note that the first variable gpsanx09 is named as part of the anxiety behaviour measure.  gpsanx091/2 is coded from the initial question (does either twin have tics) and the frequency question (how often):
• 0=no, has never had tics or twitches
• 1=yes, sometimes
• 2=yes, often
ghticsd1/2:
QP79AD, QP79BD
These categories, describing the type of tic/twitch made by each twin, were coded from original text responses. The text is not retained in the raw data.
• 1=blinking, eye twitching, other eye movement
• 2=facial or head movements (other than eyes)
• 3=limb or other body movement
Has either twin ever had a fit (e.g. seizure, convulsion) or blank spell (sometimes called an "absence")?  QP80: coded 1=elder, 2=younger, 3=both, 4=neither
gfits1/2: this and the following question are combined for twin-specific coding as shown below.
Elder twin Younger twin Neither twin
If YES, did this occur when s/he had a temperature or was otherwise unwell?
Elder Twin Yes 1 No 2 Younger Twin Yes 1 No 2 QP81a1 No 2 QP81b1 2
0=no (has never had a fit) 3=ves but type unspecified (neither box ticked)

Has either twin been admitted (i.e. as an in-patient) to hospital the last THREE years because of a serious illness or other medical condition? QP52: coded 1=elder, 2=younger, 3=both, 4=neither ghospad1/2: this and the following question are combined for twin-specific coding as shown below. Elder twin Younger twin Neither twin If YES, how many times? No (has not been admitted) 0 0 No (has not been admitted) Elder twin 1 1-3 times Younger twin 1 1 1-3 times QP53a QP53b 2 2 4-6 times 2 2 4-6 times 3 3 7-9 times 3 3 7-9 times 10 times, or more 4 10 times, or more 4 And how long was the longest stay? ghosp11/2 1 1 night 2 2 to 4 nights Elder Twin 3 5 to 6 nights QP54a 7 nights 5 8 to 10 nights 11 to 14 nights Over 2 weeks Younger Twin 1 night 2 to 4 nights 5 to 6 nights 1 3 QP54b 5 8 to 10 nights 11-14 nights 7 nights Over 2 weeks Have any other members of the family been in hospital over the last three years? Mother 1 night 2 to 4 nights 5 to 6 nights qmhospl 4 7 nights 8 to 10 nights 11 to 14 nights QP55a 7 Over 2 weeks Father/Partner 1 1 niaht 2 to 4 nights 3 5 to 6 nights 4 7 nights 8 to 10 nights 6 11 to 14 nights gdhospl QP55b 7 Over 2 weeks Sibling 1 1 night 2 to 4 nights 3 5 to 6 nights 6 gshospl 4 7 nights 5 8 to 10 nights 11 to 14 nights QP55cd 7 Over 2 weeks Does either twin complain of stomach-aches, headaches or sickness and if so, how often? gpsdqemo11/2 (named as one of the SDQ Emotion items) QP82a Elder Twin 0 Never 1 Sometimes Often QP82b Younger Twin 0 Never 1 Sometimes 2 Often If YES, what does s/he complain of? Please mark all that apply Each variable below is coded 1=yes, 0=no, both in the raw data and dataset. gsistom1/2 Elder qp82ab 1 Stomach-ache Younger qp82bb 1 Stomach-ache Twin Twin gsihead1/2 qp82ab 2 Headache qp82bb 2 Headache qsivomi1/2 qp82ab 3 Vomiting qp82bb 3 Vomiting

(These variables are also recoded to 0=no if the initial response to gpsdqemo11/2 was

0=never)

Does either to	win ever comp	lain of other sy	mptoms such as d	izziness, aches	and pains or unus	ual tiredness?
QP85: coded	d 1=elder, 2	eyounger, 3=	both, 4=neither	<b>c</b>		
following,		able in the ariables for Younge	each twin.	ed to code \1  Neither twin	no' responses to	the the
			w often? Please m			la tabla fam
each twin.		of variable			oined in a sing rmatting of the	
	<del>-</del>		the raw data, co	oded 1=yes (	ticked), 0=no (1	not ticked):
Chest pain	Elder twin QP85a 1	Younger twin QP85b 1				
Limb pain	QP85a 2	QP85b 2				
Back pain	 QP85a 3	QP85b 3				
Tiredness		QP85b_4				
Dizziness	 QP85a 5	QP85b 5				
Other	QP85a_6	QP85b_6				
	of each comp ne responses		coding 0=no has	been added :	for dataset var:	iables,
		Elder twin	Younger twin	No (never)	Sometimes	Often
					1	2
				0	1	2
Chest pain	gacches1/2	QP87a	QP87b			
Limb pain	gaclimb1/2	QP88a	QP88b			
Back pain	gacback1/2		QP89b			
Tiredness	gactire1/2	QP90a	QP90b			
Dizziness	gacdizz1/2		QP91b			
Other	gacothe1/2	QP92a	QP92b			
Younger twin: There were	cext not ret (text not retent text re	retained) sponses, and	these could be responses are		the existing cat	egories as
way of activit	ies (e.g. going	to school)?	any of the sympto	•	se tell us if they ha	ve got in the
		es 0=no for		-		
	er twin	Younger		Neither twin		
or imperial (st	tones, pounds	, feet and inche e all recode	es). Please write clea	arly.	etric (kilograms and	
raw data an		QP97aw	Weight	lha OD	1	
gwtkg1/2	Elder Twin Younger Twin	_	Weight st Weight st	lbs OR	kg kg	
	•				1.9	] cms
ghtcm1/2	Elder Twin	QP97ah	Height ft	ins <b>OR</b>		cms
	Younger Twin	QP97bh	Height ft	ins OR		cms

### **BEING A PARENT**

Now we would like you to think bit about what it's like being a parent. We are assuming that the twins misbehave sometimes. Breaking rules, fighting and things like that?

We're interested in the kind of things that you do when this happens. Below are descriptions of some things parents do to help their children behave well. When answering the following questions, please think about the twins individually because sometimes different children need a different approach.

**Rarely** means once a month or less, **Sometimes** means weekly or so, **Often** means more than once a week.

gdiexpl QP98	Do you talk about good and bad behaviour, explain why or reason with the ELDER twin?	Never 0	Rarely	Sometimes 2	Often
	How often do you do this?	<u></u>			
gdiexpld QP98c	Do you do this more or less often with the YOUNGER twin?	Less	Same 2	More 3	
gdismak QP99	Do you ever restrain or smack the ELDER twin? How often do you do this?	Never 0	Rarely 1	Sometimes	Often
gdismakd QP99c	Do you do this more or less often with the YOUNGER twin?	Less 1	Same 2	More 3	
gdisend QP100	Do you ever send the ELDER twin to her/his room or withdraw privileges? How often do you do this?	Never 0	Rarely 1	Sometimes 2	Often 3
gdisendd QP100c	Do you do this more or less often with the YOUNGER twin?	Less 1	Same 2	More 3	
gdishou	Do you ever raise your voice or shout at the ELDER twin?	Never	Rarely	Sometimes	Often
QP101	How often do you do this?	0	1	2	3
gdishoud QP101c	Do you do this more or less often with the YOUNGER twin?	Less	Same 2	More 3	
gdiigno QP102	Do you ever ignore the ELDER twin when he/she is misbehaving?	Never	Rarely	Sometimes	Often
	How often do you do this?	0	1	2	3
gdiignod QP102c	Do you do this more or less often with the YOUNGER twin?	Less	Same 2	More 3	
gdiprai	Do you use praise and rewards for good behaviour with the ELDER twin?	Never	Rarely	Sometimes	Often
QP103	How often do you do this?	0	1	2	3
gdipraid QP103c	Do you do this more or less often with the YOUNGER twin?	Less 1	Same 2	More 3	

Here are some more of the descriptions of behaviour you met earlier. As before, we would like you to tell us if they are CERTAINLY TRUE, SOMEWHAT TRUE or NOT TRUE of each of the twins.

(See notes about "behaviour" variable naming in the section above, before the health questions.)

Raw data	Dataset variables	OLD dataset			Certainly True	Somewhat True	Not True
		variable Raw data coding:			1	2	3
		named	Dataset coding:		2	1	0
QP105a	gpsdqhyp31/2	gbh191/2	Easily distracted or	Elder twin			
QP105b			concentration wanders	Younger twin			
QP106a	gpanx111/2	gbh201/2	Often makes comments	Elder twin			
QP106b			critical of him/herself	Younger twin			
QP107a	gpasd21/2	gbh211/2	Has odd style of	Elder twin			
QP107b			communication; old- fashioned, formal, or pedantic	Younger twin			
QP107B QP108a	gpaps081/2	gbh221/2	•	Elder twin			
QP108a QP108b	gpaps061/2	gbiizz1/2	Brags about accomplishments	Younger twin			
	gpsdqper31/2	gbh231/2	•	Elder twin			
QP109a QP109b	gpsaqper31/2	gb11231/2	Generally liked by other children	Younger twin			
	gpanx041/2	gbh241/2		Elder twin			
QP110a	gpanx041/2	gbn241/2	Tends to check that some things are done				
QP110b			exactly 'right'	Younger twin			
QP111a	gpasd31/2	gbh251/2	Often says things that	Elder twin			
QP111b			are embarrassing for others, without realising	Younger twin			
QP112a	gpanx121/2	gbh261/2	Complains or whines a	Elder twin			
QP112b			lot	Younger twin			
QP113a	gpsdqpro51/2	gbh271/2	Often volunteers to help	Elder twin			
QP113b			others such as parents, teachers, other children.	Younger twin			
QP114a	gpanx011/2	gbh281/2	Is afraid of small closed	Elder twin			
QP114b			spaces, heights, water or the dark	Younger twin			
QP115a	gpsdqemo21/2	gbh291/2	Many worries or often	Elder twin			
QP115b			seems worried	Younger twin			
QP116a	gpasd41/2	gbh301/2	Has unusual eye gaze,	Elder twin			
QP116b			facial expression, or gestures	Younger twin			
QP117a	gpsdqper11/2	gbh311/2	Rather solitary or tends	Elder twin			
QP117b			to play alone	Younger twin			
QP118a	gpsdqpro31/2	gbh321/2	Helpful if someone is	Elder twin			
QP118b			hurt, upset or feeling ill	Younger twin			
QP119a	gpanx211/2	gbh331/2	Fussy about keeping	Elder twin			
QP119b			his/her hands clean	Younger twin			
QP120a	gpasd51/2	gbh341/2	Is extremely distressed	Elder twin			
QP120b			by changes to routine or familiar arrangements	Younger twin			
QP121a	gpsdqemo31/2	gbh351/2	Often unhappy, down-	Elder twin			
QP121b			hearted or tearful	Younger twin			
QP122a	gpaps051/2	gbh361/2	His/her emotions seem	Elder twin			
QP122b			shallow and not genuine	Younger twin			
QP123a	gpsdqcon21/2	gbh371/2		Elder twin			

Raw data		OLD dataset			Certainly True	Somewhat True	Not True
		variable names	Raw data coding:		1	2	3
		names	Dataset coding:		2	1	0
QP123b			Generally obedient or usually does what adults request	Younger twin			
QP124a	gpsdqper41/2	gbh381/2	athor obildron	Elder twin			
QP124b				Younger twin		•	
QP125a	gpaps111/2	gbh391/2		Elder twin			
QP125b		•		Younger twin		•	
QP126a	gpanx131/2	gbh401/2	Has low self-confidence	Elder twin			
QP126b				Younger twin		•	
QP127a	gpsdqper51/2	gbh411/2	Gets on better with	Elder twin			
QP127b			adults than with other children	Younger twin			
QP128a	gpsdqhyp51/2	gbh421/2	Sees tasks through to	Elder twin			
QP128b			the end, good attention span	Younger twin			

### **BEING A PARENT OF TWINS**

Here are some questions about how it feels to be a parent of twins. Every parent experiences all sorts of positive and negative feelings towards their children. We would like to ask you about some of the feelings that parents commonly have. There are no wrong or right answers.

**Rarely** means once a month or less, **Sometimes** means weekly or so, **Often** means more than once a week.

gbpimpa QP129	Do you ever feel impatient with the elder twin? How often do you feel this way?	Never	Rarely	Sometimes 2	Often
gbpimpad QP129c	Do you feel impatient with the younger twin more or less often?	Less	Same 2	More 3	
gbphapp QP130 gbphappd QP130c	Do you generally feel quite happy about your relationship with the elder twin? How often do you feel this way?  Do you feel this more or less often with the younger twin?	Never  Less	Rarely  1 Same 2	Sometimes  2	Often 3
gbpamus QP131 gbpamusd QP131c	Are you amused by the elder twin? How often do you feel this way? Do you feel this more or less often with the younger twin?	Never  Less	Rarely  Same	Sometimes  2	Often 3
gbpfrus QP132 gbpfrusd QP132c	Does the elder twin ever make you feel frustrated? How often do you feel this way? Do you feel this more or less often with the younger twin?	Never  Less	Rarely  Same	Sometimes  2	Often 3
gbpleav QP133 gbpleavd QP133c	Do you ever wish the elder twin would leave you alone? How often do you feel this way? Do you feel this more or less often with the younger twin?	Never  Less	Rarely  Same	Sometimes  2	Often 3
gbpangr QP134 gbpangrd QP134c	Does the elder twin ever make you angry? How often do you feel this way? Do you feel this more or less often with the younger twin?	Never  Less	Rarely  Same	Sometimes  2	Often 3
gbpclos QP135 gbpclosd QP135	Do you feel close to the elder twin? How often do you feel this way? Do you feel this more or less often with the younger twin?	Never  Less  I	Rarely  Same	Sometimes  2	Often 3

# **EDUCATION**

Now we would like to ask you a few general questions about the twins and their education and experiences over the last few years.

Do the twins go to school?  QP136: coded 1=elder, 2=younger, 3=both, 4=ne	either		
Dropped from dataset: there were negligible n except for 'both'.	umbers of re	esponses in al	l categories
Elder twin Younger twin		Neither twin	
gsamecl QP137c Are the twins in the same class or in 1 Same class	n different clas Different		
If you have told us that we may contact the school, pleas school and their teacher.	se can you co	nfirm the names o	of the
Elder Twin: School: (not retained i	n data)		
Teacher: (not retained	•		
Younger Twin: School: (not retained i			
Teacher: (not retained	•		
How do the twins usually feel about going to school	ol?		
gscfeel1/2 Very Quite negative negative	No real effect		ery itive
QP138a Elder Twin 1 2	3	4 5	
QP138b Younger Twin 1 2	3	4 5	
following, tabulated items for each twin.  Elder twin Younger twin  If YES, what is the difficulty that each twin has? You may Each variable below is coded 1=yes, 0=no, both There were negligible responses for Down's Synfrom the dataset.	mark as many	a and dataset	variables.
		Elder Twin	Younger Twin
Autism	gldaut1/2	qp140a 1	qp140b 1
Down's Syndrome	_	qp140a 2	qp140b 2
Restless, has difficulties concentrating and finishing tasks	gldrest1/2	_	qp140b 3
Diagnosed hyperactivity/Attention deficit disorder (ADHD)	gldhyp1/2	qp140a 4	qp140b 4
Difficulties in learning to read/dyslexia	glddysl1/2	_	qp140b 5
Difficulties in learning to write	gldwrit1/2	_	qp140b 6
Difficulties in fine/gross motor skills/co-ordination	gldmot1/2	qp140a_7	qp140b 7
Difficulties in maths	gldmath1/2	_	qp140b 8
Any other learning difficulty? - unspecified or	gldoth1/2	qp140a 9	qp140b 9
general slowness, delay, falling behind	graceni, z	db110a_5	db1105_3
Speaking or language difficulties other than reading or writing	gldspk1/2	qp140a_10	qp140b_10
If other, please describe:		esponses were	
Elder twin (text not retained)		ng categories	
Younger twin (text not retained)	specified:	the new catego in the questio anguage diffic	nnaire) for

If you have told us that your twins have ever had any chronic disease, physical disability, speech, hearing, other health problems, or any learning problems at all, please answer the following questions:

Does either twin have a Statement of Special Educational N QP149: coded 1=elder, 2=younger, 3=both, 4=neit			
gsen1/2: coded 1=yes 0=no for each twin  Elder twin Younger twin	Neither twin		
Is either twin currently having a full assessment made of Sp QP151: coded 1=elder, 2=younger, 3=both, 4=neit		nal Needs?	
gsenass1/2: coded 1=yes 0=no for each twin  Elder twin Younger twin	Neither twin		
Is either twin receiving any extra support to help them get o	n better in sch	ool?	
QP153: coded 1=elder, 2=younger, 3=both, 4=neit	her		
Not retained as a variable in the dataset, but use following, tabulated items for each twin.  Elder twin Younger twin	Neither twin	'no' respon	ses to the
If YES, what kind of help are they getting? Each variable below is coded 1=yes, 0=no, both i	n raw data a	a <mark>nd dataset</mark> Elder Twin	<b>variables.</b> Younger Twin
One to one support from a classroom assistant/volunteer	ges1to11/2	qp154a_1	qp154b_1
Extra teaching help one to one or in a small group	geshelp1/2	qp154a_2	qp154b_2
Input from a professional such as a psychologist/child psychologist	gespsyc1/2	qp154a_3	qp154b_3
Any kind of programme to help them get on better at school (e.g. Individual Education Plan [IEP], behaviour management programme)	gesiep1/2	qp154a_4	qp154b_4
Attending a special school or special unit	gesspsc1/2	qp154a_5	qp154b_5
Other - unspecified other help	gesoth1/2	qp154a_0	qp154b_0
If other, please describe: Elder twin (text not retained) Younger twin (text not retained)			
Any text responses were coded into the existing	categories a	bove, inclu	ding the new

category (not specified in the questionnaire) for attendance at a special school.

#### Time Off Has either of the twins had any time off school in the last full term?

QP159: coded 1=elder, 2=younger, 3=both, 4=neither

gscoffl1/2: this and the following question are combined for twin-specific coding as shown below.

Elder twin Younger twin Neither twin

If YES, for how long? (Please think about it in terms of school days missed)

II YES, IOI NOW	IOH	y! (Pi	lease triirik about it iri terrris	oi <u>scriooi</u> days mis	SSE	<i>a)</i>	
Elder Twin	1	1	1 day	Younger Twin	1	1	1 day
QP160a	2	2	2 to 4 days	QP160b	2	2	2 to 4 days
	3	3	5 to 10 days		3	3	5 to 10 days
	4	4	11 to 20 days		4	4	11 to 20 days
	5	5	21 days or more		5	5	21 days or more
		0	No time off school			0	No time off school

Now we are going to ask briefly about any changes or events that have had an impact on the family. Thinking back over the last THREE years, could you tell us if any of the following major changes or particular events have occurred?

Yes

You may mark as many items as apply.

Each variable below is coded 1=yes 0=no, both in raw data and dataset variables.

		res	
glehospp	qp168_01	Hospitalisation of a parent	
glefinch	qp168_02	Change in financial circumstances [including significant job changes]	
gledeadp	qp168_03	Death of a parent	
gledeadg	qp168_04	Death of a grandparent	
glebirth	qp168_05	Birth of a younger brother or sister [or other new child in household or immediate family]	
gledivor	qp168_06	Divorce of natural parents [including separations of parents]	
gledeads	qp168_07	Death of a sibling	
glehospt	qp168_08	Hospitalisation of twin	
glenewp	qp168_09	New parent figure living in the household	
glesepfp	qp168_10	Prolonged separation from a parent	
		Other	
gleillfam	qp168_11	Serious illness in family	
gledearel	qp168_12	Death of relative or friend (other than above)	
glerelmov	qp168_13	Parent or close relative moved away or prolonged absence	
gledeapet	qp168_14	Death of pet	
glemoved	qp168_15	Moved house and/or school	
gletrauma	qp168_16	Violent or traumatic episode including accidents, assault, bullying	
glenewper	qp168_17	New person in home (other than above)	

If other, please describe (original text not retained in data)

Text responses have been coded either into the original categories or into new categories as shown above. Where noted above, some original categories have been broadened to accommodate the changes.

The new category variables replace the original "other" category, which has been dropped.

Finally, let's go back to thinking about how each twin behaves. Below are some different descriptions, and we would like you to tell us if they seem to be CERTAINLY TRUE, SOMEWHAT TRUE or NOT TRUE of each twin in turn.

(See notes about "behaviour" variable naming in the section above, before the health questions.)

Raw data	Dataset variables	OLD dataset			Certainly True	Somewhat True	Not True
	variab names		Raw data coding:	1	2	3	
		names	Dataset coding:	ataset coding:		1	0
QP169a	gpanx141/2	gbh431/2	Fussy or over particular	Elder twin			
QP169b				Younger twin			
QP170a	gpanx151/2	gbh441/2	Tends to blame	Elder twin			
QP170b			him/herself	Younger twin			
QP171a	gpaps161/2	gbh451/2	Thinks he/she is more	Elder twin			
QP171b			important than others	Younger twin			
QP172a	gpsdqcon41/2	gbh461/2	Often lies or cheats	Elder twin			
QP172b				Younger twin			
QP173a	gpanx161/2	gbh471/2	Is often extremely upset or distressed when	Elder twin			
QP173b				Younger twin			
QP174a	gpanx031/2	gbh481/2	Is afraid in social	Elder twin			
QP174b			situations  Has difficulty waiting for things	Younger twin			
QP175a	gphyp21/2	gbh491/2	Has difficulty waiting for things Enjoys 'pretend' games	Elder twin			
QP175b				Younger twin			
QP176a	gpasd61/2	gbh501/2		Elder twin			
QP176b				Younger twin			
QP177a	gpanx071/2	gbh511/2		Elder twin			
QP177b				Younger twin			
QP178a	gpasd71/2	gbh521/2	/2 Has a strong interest in E	Elder twin			
QP178b				Younger twin			
QP179a	gpaps151/2	gbh531/2	Becomes angry when	Elder twin			
QP179b			corrected	Younger twin			
QP180a	gpsdqpro21/2	gbh541/2	Shares readily with other	Elder twin			
QP180b			children (such as treats, toys, pencils etc.)	Younger twin			
QP181a	gpanx021/2	gbh551/2	Takes a long time to	Elder twin			
QP181b			warm to strangers	Younger twin			
QP182a	gpanx171/2	gbh561/2	Seems keyed up, on	Elder twin			
QP182b			edge or tense	Younger twin			
QP183a	gpsdqcon11/2	gbh571/2	Often has temper	Elder twin			
QP183b			tantrums or hot tempers	Younger twin			
QP184a	gpasd81/2	gbh581/2	Can take hints and keep	Elder twin			
QP184b			secrets, can be discreet	Younger twin			
QP185a	gpanx051/2	gbh591/2	Asks for reassurance	Elder twin			
QP185b			that s/he is OK	Younger twin			
QP186a	gpsdqemo41/2	gbh601/2	Nervous or clingy in new	Elder twin			
QP186b			situations, easily loses confidence in new situations	Younger twin			
QP187a	gpaps141/2	gbh611/2	Can turn on the charm to	Elder twin			
QP187b			get what s/he wants	Younger twin			

Raw data	Dataset variables	OLD dataset variable names			Certainly True	Somewhat True	Not True
			Raw data coding:		1	2	3
			Dataset coding:		2	1	0
QP188a	gpanx191/2	gbh621/2	Anxious that bad things will happen	Elder twin			
QP188b				Younger twin			
QP189a	gpsdqper21/2	gbh631/2	Has at least one good friend	Elder twin			
QP189b				Younger twin			

That's the end. Thank you so much for answering so many questions! We really appreciate your help - we could not do our research without you.

## APPENDIX: SOC employment codes

Used for respondent employment (ParentSoc) and partner employment (PartnerSoc) categories, which correspond to dataset variables grespsoc and gpartsoc respectively. More detailed documentation of SOC is given elsewhere.

SOC 2000 code	Employment category	
1	Managers and senior officials	
2	Professional occupations	
3	Associate professional and technical occupations	
4	Administrative and secretarial occupations	
5	Skilled trades occupations	
6	Personal service occupations	
7	Sales and customer service occupations	
8	Process, plant and machine operatives	
9	Elementary occupations	